

△ Traffic signs: Warning signs



Mostly triangular



Distance to 'STOP' line ahead



Crossroads



Junction on bend ahead



T-junction



Staggered junction

The priority through route is indicated by the broader line.



Distance to 'Give Way' line ahead



Sharp deviation of route to left (or right if chevrons reversed)



Double bend first to left (symbol may be reversed)



Bend to right (or left if symbol reversed)



Roundabout



Uneven road



Plate below some signs



Dual carriage-way ends



Road narrows on right (left if symbol reversed)



Road narrows on both sides



Two-way traffic crosses one-way road



Two-way traffic straight ahead



Traffic signals



Traffic signals not in use



Slippery road



Steep hill downwards



Steep hill upwards



School crossing patrol ahead (some signs have amber lights which flash when children are crossing)



Frail (or blind or disabled) pedestrians likely to cross road ahead



Pedestrians in road ahead

Gradients may be shown as a ratio i.e. 20% = 1:5



Pedestrian crossing



Traffic queues likely ahead



Cycle route ahead



Side winds



Hump bridge



Worded warning sign



Risk of ice



Light signals ahead at level crossing, airfield or bridge



Level crossing with barrier or gate ahead



Level crossing without barrier or gate ahead



Level crossing without barrier



Trams crossing ahead



Cattle



Wild animals



Wild horses or ponies



Accompanied horses or ponies



Quayside or river bank




Opening or swing bridge ahead



Low-flying aircraft or sudden aircraft noise



Falling or fallen rocks



Available width of headroom indicated



Overhead electric cable; plate indicates maximum height of vehicles which can pass safely



Tunnel ahead



Distance over which road humps extend



Other danger; plate indicates nature of danger



Soft verges



Risk of grounding